



AZIMUT YACHTS

SLINGSHOT

KK
SUPERYACHTS










































Raymarine

CAUTION
This product may become hot as a result of exposure to direct sunlight. Raymarine recommends the removal of a keypad if exposed to sunlight for prolonged periods.


B&B

AND-EOP

Ignition

START

KK
SUPERYACHTS































































Or to request a tow with the push of a button,
download the BoatU.S. App before you go boating.
24-Hour assistance also available by calling the
BoatU.S. Dispatch Center:
In an emergency situation, contact the Coast Guard or local authorities immediately.













HOST NUMBER	SERIAL NUMBER	ASSIGNMENT
FUEL CAPACITY	280L (75 US GAL)	
FUEL TYPE	DIESEL	
CONSTRUCTION MATERIAL	Permanite 4100	
PRODUCTION DATE	2012/07	010
MAXIMUM ALLOWABLE PRESSURE	38 BAR	
MAXIMUM FILL UP HEIGHT ABOVE TWIN TOP	150mm	
SEE INSTRUCTIONS		
BULDER METALPLATE SRL - GENOVA - ITALY	CE	



PART NUMBER	SERIAL NUMBER	MANUFACTURE
FUEL CAPACITY	2000 LIT (528 US GAL)	2000
FUEL TYPE	Production up to 7 mm	2000
CONSTRUCTION MATERIAL	2000	2000
PRODUCTION DATE	2000	2000
MAXIMUM ALLOWED PRESSURE	2000	2000
MAXIMUM FILL UP HEIGHT ABOVE TANK TOP	2000	2000
ISO 228/1/2/3/4/5/6/7/8/9/10	2000	2000
BUILDER METAL STYLE SPA - GENOVA - ITALY	2000	2000



MAIN CHARACTERISTICS

LENGTH: 82' (24.99m)
BEAM: 6.17m / 20ft
DRAFT: 5' 8" (1.73m)
HULL: Fiberglass
YEAR: 2015

GUEST ACCOMMODATION

SLEEPS: 4

ASKING PRICE

\$2,350,000 USD



4 Quai Antoine 1er,
98000 Monaco

Tel: +377 97 70 41 22
info@kk-superyachts.com
kk-superyachts.com